

















Serial No. Q012219895
 Model No. XE40M06ST45U1
 Manufacture Date. 04JAN2022

Cap. U.S. Gals.	40	1
Phase	1	208
Volts AC	240	3380
Upper Element Watts	4500	3380
Lower Element Watts	4500	3380
Total Watts	4500	3380

Rheem Sales Company, Inc.
 Water Heating Division
 Montgomery, Alabama 36117 USA



WARNING **ELECTRIC WATER HEATER**

FOR SAFE INSTALLATION AND OPERATION - Follow the instructions in the Use and Care Manual provided. A replacement copy may be obtained by writing the manufacturer, local codes, utility company requirements, and/or in the absence of local codes, the latest edition of the National Electrical Code.

FOR YOUR SAFETY - DO NOT store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance. Keep rags and other combustibles away.

CAUTION - Hotter water increases the risk of scald injury. See use and Care Manual for instructions before changing the temperature setting.

WARNING - Any thermostat setting above 125°F may cause severe burns and consume energy unnecessarily.

Power supply must be shut off before removing access panels prior to adjusting thermostat or resetting temperature limiting control.

CAUTION - Risk of electric shock. Contact branch circuit and ground wiring controls to avoid damage to the heater. For detailed information, refer to the label Care Manual. Your CO.

WATER LEAKAGE - Regardless of the material from which a water heater is made, it will leak water into walls, due to the corrosion action of water. This water heater is not designed to prevent leakage with result in damage to adjacent areas unless it is installed correctly, properly vented, and properly maintained. See Use and Care Manual.

WARNING - Caution: Do not assume that this water heater must be grounded. See local electrical code for grounding requirements. See Use and Care Manual for details.

WARNING - Chemical and Reproductive Toxicity - See Use and Care Manual for details.





















